

Effect of Electromagnetic Fields on Marine Organisms

Bibliography

Compiled by the Lobster Institute – August 2008

GENERAL INTERNET SEARCH

Keywords: electromagnetic, lobster, magnetic fields, wind turbines, wind farms

Bochert, R. and Zettler, M.L. 2004. Long-term exposure of several marine benthic animals to static magnetic fields. *Bioelectromagnetics*. Oct;25(7):498:502.

Committee On Environmental Impacts Of Wind Energy Projects, National Research Council. 2007. Environmental Impacts of Wind-Energy Projects. National Research Council of the National Academies - The National Academies Press, Washington, D.C.

EnviroGulf Consulting. 2003. Environmental Impact of Marine Electromagnetic Sounding. 2003. http://www.envirogulf.com/electric_wind.html

Gaubin-Blanquet Y, Pianezzi B, Massue JP. 1976. Influence of various physical factors on the developmental capacities of the ovum of *Artemia salina*. *C R Seances Soc Biol Fil*. 170(6):1305-10.

Gill, Andrew B. 2005. Offshore renewable energy: ecological implications of generating electricity in the coastal zone, *Journal of Applied Ecology* 42 (4) , 605–615
doi:10.1111/j.1365-2664.2005.01060.x.

Greenberg, B. and N. Ash. 1976. Metabolic rates in five animal populations after prolonged exposure to weak extremely low frequency electromagnetic fields in nature. *Radiat Res*. Aug;67(2):252-65.

Hassan, Garrad & Partners. 2001. Tractebel Energy Engineering, Risø National Laboratory, Kvaerner Oil & Gas, Energy & Miljøundersøgelser. 2001. Offshore Wind Energy: Ready to Power a Sustainable Europe - Concerted Action on Offshore Wind Energy in Europe Final Report. Delft University Wind Energy Research Institute (Duwind).

Hiscock, K., Tyler-Walters, H. & Jones, H. 2002. High Level Environmental Screening Study for Offshore Wind Farm Developments – Marine Habitats and Species Project. Report from the Marine Biological Association to The Department of Trade and Industry New & Renewable Energy Programme. (AEA Technology, Environment Contract: W/35/00632/00/00).

International Finance Corporation. 2006. Environmental, Health, and Safety Guidelines Wind Energy Draft Document
[http://www.ifc.org/ifcext/policyreview.nsf/AttachmentsByTitle/EHS_Draft_Wind/\\$FILE/IFC+DRAFT++Wind+Energy+August+1+2006.pdf](http://www.ifc.org/ifcext/policyreview.nsf/AttachmentsByTitle/EHS_Draft_Wind/$FILE/IFC+DRAFT++Wind+Energy+August+1+2006.pdf)

Köller, Julia, Johann Köppel and Wolfgang Peters. 2006. Offshore Wind Energy. Springer Berlin Heidelberg. 978-3-540-34676-0 (Print) 978-3-540-34677-7 (Online). (Part 6, pages 223-234).

Leech D., G.A. Rechnitz. 1993. Biomagnetic neurosensors. Anal Chem. 1993 Nov 15;65(22):3262-6.

Malinina IuA, Somov AIu. 2003. The influence of electromagnetic radiation of industrial frequency on *Daphnia magna* (Straus). RadiatsBiol Radioecol. Sep-Oct;43(5):552-4.

Müller, Christina. 2008. Behavioural reactions of cod (*Gadus morhua*) and plaice (*Pleuronectes platessa*) to sound resembling offshore wind turbine noise. Humbolt University Dissertation.

National Core of Engineers. 2004. Environmental Impact Statement - Scope of Work: Wind Power Facility Proposed by Cape Wind Associates, LLC, <http://www.mtpc.org/offshore/Appendices/ACOEFactSheets/ACOEwindscope.pdf>

Pelc, Robin and R. M. Fujita. 2002. Renewable energy from the ocean. Environmental Defense, Oakland, CA 94618, USA. Marine Policy, 26 (6), p.471-479.

Ueno S, P. Lövsund, P.A. Oberg. 1986. Effect of time-varying magnetic fields on the action potential in lobster giant axon. Medical and Biological Engineering and Computing. Volume 24, Number 5 / September, pages 21-526.

Wilhelmsson Dan, Torleif Malm, and Marcus C. Öhman. 2006. The influence of offshore windpower on demersal fish. International Council for the Exploration of the Sea Journal of Marine Science: Journal du Conseil. 63(5):775-784, Jun 2006. doi:10.1016/j.icesjms.2006.02.001.

Ye SR, Yang JW, Chen CM. 2004. Effect of static magnetic fields on the amplitude of action potential in the lateral giant neuron of crayfish. Int. Journal of Radiat Biol. Oct;80(10):699-708.

AQUATIC SCIENCES AND FISHERIES ABSTRACTS / OCEANIC ABSTRACTS

Abalmazova, MG. 1985. Response of bottom and pelagic fishes to electric and *magnetic fields* in sea water. SB. NAUCH. TR. VNIRO. pp. 112-122.

Avens, L; Lohmann, KJ. 2003. Use of multiple orientation cues by juvenile logger head sea turtles *Caretta*. Journal of Experimental Biology [J. Exp. Biol.]. Vol. 206, no. 23, pp. 4317-4325. 1 Dec

Boeuf, M; Demoulin, X; Perrot, Y; Peirano E. 2004. Acoustic impact on the marine fauna due to the offshore *wind farms*. Ocean Energy Conference: Offshore *Wind* energy - Marine Current energy - Wave energy, 20-21 October 2004. Centre de Congres Le quartz, Brest

(France). Colloque Ifremer - ADEME: Energies renouvelables en mer - Eolien en mer - Courants marins et vagues, 20-21 Octobre 2004, Centre de Congres le Quartz, Brest (Finistere - France), dans le cadre des journees Sea Tech Week 2004. 43 pp.

Boles, L.C., K. J. Lohmann. 2003. True navigation and magnetic maps in spiny lobsters. *Nature*. Vol. 421, no. 6918, pp. 60-63. 2 Jan.

Branover, GG; Vasil'yev, AS; Gleyzer, SI; Tsinober, AB. 1971. A study of the behavior of the eel in natural and artificial and *magnetic fields* and an analysis of its reception mechanism. *J. Ichthyol. (Vopr. Ikhtiolog. Eng. Ed.)*. Vol. 11, no. 4, pp. 608-614.

Cain, S.D., L.C. Boles, J.H. Wang, K.J. Lohmann. 2005. Magnetic Orientation and Navigation in Marine Turtles, Lobsters, and Molluscs: Concepts and Conundrums. *Integrative and Comparative Biology [Integr. Comp. Biol.]*. Vol. 45, no. 3, pp. 539-546. Jun.

Carstensen, J., O.D. Henriksen, J. Teilmann. 2006. Impacts of offshore wind farm construction on harbour porpoises: acoustic monitoring of echolocation activity using porpoise detectors (T-PODs). *Marine Ecology Progress Series [Mar. Ecol. Prog. Ser.]*. Vol. 321, pp. 295-308. ISSN 0171-8630 Electronic ISSN 1616-1599.

Chemeris, N.K., V.G. Safronova. 1993. A weak low-frequency magnetic field induces frequency-dependent fluctuations in the period of contractions of the heart of *Daphnia magna*. *Biophysics*. Vol. 38, no. 3, pp. 513-520.

Dale P. Rodmell, Dale P. and M. L. Johnson. 2002. The Development of Marine Based Wind Energy Generation and Inshore Fisheries in UK Waters: Are They Compatible?. Scarborough Centre for Coastal Studies, Department of Biology, University of Hull at Scarborough, Scarborough, UK.
http://www.hull.ac.uk/cems/downloads/WOTS_rodmeel_et_al.pdf

Diego-Rasilla, Francisco J; Luengo, Rosa M; Phillips, John B. 2005. *Magnetic* compass mediates nocturnal homing by the alpine newt, *Triturus alpestris*. *Behavioral Ecology and Sociobiology [Behav. Ecol. Sociobiol.]*. Vol. 58, no. 4, pp. 361-365. Aug

Fontaine, M. 1976. Physiological mechanisms in the migration of marine and amphihaline fish. *Advances in marine biology*. Vol. 13. 446 p.

Formicki, K; Winnicki, A. 1996. Effects of constant *magnetic* field on cardiac muscle activity in *fish* embryos. *Publicaciones Especiales, Instituto Espanol de Oceanografia*.

Formicki, K; Sobocinski, A; Winnicki, A; Mongialo, Z. 1991. Effect of fertilizing sea trout *Salmo trutta l.* eggs with spermatozoa exposed to a *magnetic* field. *Acta Ichthyologica et Piscatoria* Vol. 21, no. 1, pp. 99-103.

- Formicki, K; Winnicki, A. 1998.** Reactions of *fish* embryos and larvae to constant *magnetic fields*. Italian Journal of Zoology [Ital. J. Zool.]. Vol. 65, suppl., pp. 479-482.
- Formicki, K; Sadowski, M; Tanski, A; Korzelecka-Orkisz, A; Winnicki, A. 2004.** Behaviour of trout (*salmo trutta* L.) larvae in a constant magnetic field. Journal of applied ichthyology/Zeitschrift fur angewandte Ichthyologie [J. Appl. Ichthyol./Z. Angew. Ichthyol.]. Vol. 20, no. 4, pp. 290-294.
- Formicki, K; Tanski, A; Sadowski, M; Winnicki, A. 2004.** Effects of magnetic fields on fyke net performance. Journal of applied ichthyology/Zeitschrift fur angewandte Ichthyologie [J. Appl. Ichthyol./Z. Angew. Ichthyol.]. Vol. 20, no. 5, pp. 402-406.
- Henderson, AR; Morgan, C; Smith, B; Soerensen, HC; Barthelmie, R; Boesmans, B. 2002.** Offshore windpower: a major new source of energy for Europe. Section *Wind Energy*, Civil Engineering & Geosciences, Stevinweg 1, PO Box 5048, 2628 CN Delft, The Netherlands, a.henderson@citg.tudelft.nl. International Journal of Environment and Sustainable Development [Int. J. Environ. Sustainable Dev.]. Vol. 1, no. 4, pp. 356-369. 2002. ISSN 1474-6778.
- Irwin, WP; Lohmann, KJ. 2003.** Magnet-induced disorientation in hatchling loggerhead sea turtles. Journal of Experimental Biology [J. Exp. Biol.]. Vol. 206, no. 3, pp. 497-501. Feb
- Jarvis, Christina M. 2005.** An evaluation of the wildlife impacts of offshore wind development relative to fossil fuel power production (A thesis submitted to the Faculty of the University of Delaware in partial fulfillment of the requirements for the degree of Master of Marine Policy (Fall).
- Kalmijn, AJ. 1982.** Electric and *magnetic* field detection in elasmobranch fishes. Science (Washington). Vol. 218, no. 4575, pp. 916-918.
- Lohmann, KJ. 1985.** Geomagnetic field detection by the western Atlantic spiny *lobster*, *Panulirus argus*. MAR. BEHAV. PHYSIOL. Vol. 12, no. 1, pp. 1-17.
- Lohmann, KJ., N. D. Pentcheff, G.A. Nevitt, G.D. Stetten, R.K. Zimmer-Faust, H.E. Jarrard, L. C. Boles. 1995.** Magnetic orientation of spiny lobsters in the ocean: Experiments with undersea coil systems. Journal of Experimental Biology. Vol. 198, no. 10, pp. 2041-2048.
- Lohmann, KJ; Lohmann, CMF. 1996.** Detection of *magnetic* field intensity by sea turtles. Nature. Vol. 380, no. 6569, pp. 59-61.
- Lohmann, KJ; Lohmann, CMF. 1996.** Orientation and open-sea navigation in sea turtles. Journal of Experimental Biology. Vol. 199, no. 1, pp. 73-81. Jan
-

- Lohmann, KJ; Cain, SD; Dodge, SA; Lohmann, CMF. 2001.** Regional *magnetic fields* as navigational markers for sea turtles. *Science* Washington Vol. 294, no. 5541, pp. 364-366. 12 Oct
- Lohmann, KJ; Lohmann, CMF; Ehrhart, LM; Bagley, DA; Swing, T. 2004.** Animal behaviour – Geomagnetic map used in sea-turtle navigation. *Nature* [Nature]. Vol. 428, no. 6986, pp. 909-910. 29 Apr
- Lohmann, Kenneth J, C, Lohmann. 2006.** Sea turtles, lobsters, and oceanic magnetic maps. *Marine and Freshwater Behaviour and Physiology* [Mar. Freshwater. Behav. Physiol.]. Vol. 39, no. 1, pp. 49-64. Mar.
- Lohmann, Kenneth J., C. Lohmann, N. F. Putman. 2007.** Magnetic maps in animals: nature's GPS. *Journal of Experimental Biology* [J. Exp. Biol.]. Vol. 210, no. 21, pp. 3697-3705.
- Mackinson, S; Curtis, H; Brown, R; McTaggart, K; Taylor, N; Neville, S; Rogers, S. 2006.** A report on the perceptions of the fishing industry into the potential socio-economic *impacts* of offshore *wind* energy developments on their work patterns and income. Centre for Environment, Fisheries and Aquaculture Science, Lowestoft Laboratory, Pakefield Road, Lowestoft, Suffolk, NR33 0HT UK.
- McCleave, JD; Rommel, SA; Cathcart, CJ. 1971.** Weak electric and *magnetic fields* in fish orientation. *Ann. N.Y. Acad. Sci.* Vol. 188, pp. 270-282.
- Nishi, Takaaki. 2006.** Studies on the magnetosensitivity and magnetocompass orientation in the Japanese eel *Anguilla japonica*. Department of Fundamental Fishing Technology, Faculty of Fisheries, Kagoshima University, 4-50-20 Shimoarata, Kagoshima 890-0056 Japan, nishi@fish.kagoshima-u.ac.jp. *Memoirs of the Faculty of Fisheries, Kagoshima University* [Mem. Fac. *Fish.* Kagoshima Univ.]. Vol. 55, no. 2, pp. 107-159.
- Nishi, T; Kawamura, G . 2005.** *Anguilla japonica* is already magnetosensitive at the glass eel phase. Faculty of Fisheries, Kagoshima University, Kagoshima 890-0056, Japan, nishi@fish.kagoshima-u.ac.jp. *Journal of Fish Biology* [J. *Fish Biol.*]. Vol. 67, no. 5, pp. 1213-1224. Oct
- Nishi, Takaaki; Kawanura, Gunzo. 2005. Nippon Suisan Gakkaishi. 2005.** Magnetosensitivity in the darkbanded rockfish *Sebastes inermis*. *Nippon Suisan Gakkaishi*, Vol. 72, no. 1, pp. 27-33.
- Oehman, MC; Sigray, P; Westerberg, H. 2007.** Offshore Windmills and the Effects of Electromagnetic *Fields* on *Fish*. Department of Zoology, Stockholm University, SE-106 91 Stockholm Sweden, marcus.ohman@zoologi.su.se *Ambio*. Vol. 36, no. 8, pp. 630-633.
-

- Papi, F; Luschi, P; Aekesson, S; Capogrossi, S; Hays, GC. 2000.** Open-sea migration of magnetically disturbed sea turtles. *Journal of Experimental Biology* [J. Exp. Biol.]. Vol. 203, no. 22, pp. 3435-3443.
- Tanski, A; Formicki, K; Smietana, P; Sadowski, M; Winnicki, A. 2004.** Sheltering behaviour of spinycheek crayfish (*Orconectes limosus*) in the presence of an artificial *magnetic* field. Agricultural University of Szczecin, Department of *Fish* Anatomy and Embryology, 4 Kazimierza Krolewicza St, 71-550 Szczecin Poland Source European native crayfish in relation to land-use and habitat deterioration with a special focus on *Austropotamobius torrentium*. Proceedings of the CRAYNET conference, Innsbruck, Austria, 8-11 September (Volume 3).
- Tanski, A., K. Formicki, P. Smietana, M. Sadowski, A. Winnicki. 2005.** Sheltering behaviour of spinycheek crayfish (*Orconectes limosus*) in the presence of an artificial magnetic field. Agricultural University of Szczecin, Department of Fish Anatomy and Embryology, 4 Kazimierza Krolewicza St, 71-550 Szczecin Poland.
- Taylor, PB. 1986.** Experimental evidence for geomagnetic orientation in juvenile salmon, *Oncorhynchus tshawytscha* Walbaum. *Journal of Fish Biology*. Vol. 28, no. 4, pp. 607-623.
- Walker, P; Guibert, P; Pau, A; Grandguillo, E; Peirano, E. 2004.** Environmental impact of the *wind farms* located near the littoral. CREOCEAN, Rue Charles Tellier, 17000 La Rochelle France, walker@creocean.fr. Ocean Energy Conference: Offshore *Wind* energy - Marine Current energy - Wave energy, 20-21 October
- Wang, H-Y; Zeng, X-B; Guo, S-Y. 2005.** Effects of Electro-*magnetic* Field on the Physiological Characteristics of *Chlorella vulgaris* and Mechanisms Analysis. College of Chemistry and Life Science, South - Central University for Nationalities, Wuhan 430074, China Source: Fisheries Science/Shuichan Kexue [*Fish. Sci./Shuichan Kexue*]. Vol. 24, no. 7, pp. 12-14. Jul
- Winnicki, A; Korzelecka-Orkisz, A; Sobocinski, A; Tanski, A; Formicki, K. 2004.** Effects of the magnetic field on different forms of embryonic locomotor activity of Northern pike, *Esox lucius* L. *Acta Ichthyologica et Piscatoria* Vol. 34, no. 2, pp. 193-203.
- Yano, A; Ogura, M; Sato, A; Sakaki, Y; Shimizu, Y; Baba, N; Nagasawa, K. 1997.** Effect of modified *magnetic* field on the ocean migration of maturing chum salmon, *Oncorhynchus keta*. *Marine Biology* [Mar. Biol.]. Vol. 129, no. 3, pp. 523-530.
-